

David Lengefeld
Chairperson

T. P. Medlock
Vice Chairman

Lynn Allen
Secretary



119 East Henry Street
HAMILTON, TEXAS 76531

(254) 386-8945 / 8946 FAX (254) 386-8947

Billy Lasater

John Galindo

Doyle Roberts
Chief Appraiser

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-01
1:	0 SATY	<=0	E	AREA	
		<=200	UPEX	21.80	
		<=300	UPEX	21.70	
		<=400	UPEX	21.60	
		<=500	UPEX	21.50	
		<=600	UPEX	21.40	
		<=700	UPEX	21.30	
		<=800	UPEX	21.20	
		<=900	UPEX	21.10	
		<=1000	UPEX	21.00	
		<=1100	UPEX	20.90	
		<=1200	UPEX	20.80	
		<=1300	UPEX	20.70	
		<=1400	UPEX	20.60	
		<=1500	UPEX	20.50	
		<=1600	UPEX	20.40	
		<=1700	UPEX	20.30	
		<=1800	UPEX	20.20	
		<=1900	UPEX	20.10	
		<=2000	UPEX	20.00	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-02
1:	0 SATY	<=0	E	AREA	
		<=200	UPEX	33.80	
		<=300	UPEX	33.70	
		<=400	UPEX	33.60	
		<=500	UPEX	33.50	
		<=600	UPEX	33.40	
		<=700	UPEX	33.30	
		<=800	UPEX	33.20	
		<=900	UPEX	33.10	
		<=1000	UPEX	33.00	
		<=1100	UPEX	32.90	
		<=1200	UPEX	32.80	
		<=1300	UPEX	32.70	
		<=1400	UPEX	32.60	
		<=1500	UPEX	32.50	
		<=1600	UPEX	32.40	
		<=1700	UPEX	32.30	
		<=1800	UPEX	32.20	
		<=1900	UPEX	32.10	
		<=2000	UPEX	32.00	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-03
1:	0 SATY	<=0	E	AREA	
		<=500	UPEX	40.50	
		<=600	UPEX	40.40	
		<=700	UPEX	40.30	
		<=800	UPEX	40.20	
		<=900	UPEX	40.10	
		<=1000	UPEX	40.00	
		<=1100	UPEX	39.90	
		<=1200	UPEX	39.80	
		<=1300	UPEX	39.70	
		<=1400	UPEX	39.60	
		<=1500	UPEX	39.50	
		<=1600	UPEX	39.40	
		<=1700	UPEX	39.30	
		<=1800	UPEX	39.20	
		<=1900	UPEX	39.10	
		<=2000	UPEX	39.00	
		<=2100	UPEX	38.90	
		<=2200	UPEX	38.80	
		<=2300	UPEX	38.70	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-04
1:	0 SATY	<=0	E	AREA	
		<=700	UPEX	42.80	
		<=800	UPEX	42.70	
		<=900	UPEX	42.60	
		<=1000	UPEX	42.50	
		<=1100	UPEX	42.40	
		<=1200	UPEX	42.30	
		<=1300	UPEX	42.20	
		<=1400	UPEX	42.10	
		<=1500	UPEX	42.00	
		<=1600	UPEX	41.90	
		<=1700	UPEX	41.80	
		<=1800	UPEX	41.70	
		<=1900	UPEX	41.60	
		<=2000	UPEX	41.50	
		<=2100	UPEX	41.40	
		<=2200	UPEX	41.30	
		<=2300	UPEX	41.20	
		<=2400	UPEX	41.10	
		<=2500	UPEX	41.00	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-04S
1:	0 SATY	<=0	E	AREA	
		<=500	UPEX	45.00	
		<=800	UPEX	42.00	
		*	UPEX	40.00	
2:	-1				

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-05
1:	0 SATY	<=0	E	AREA	
		<=700	UPEX	45.80	
		<=800	UPEX	45.70	
		<=900	UPEX	45.60	
		<=1000	UPEX	45.50	
		<=1100	UPEX	45.40	
		<=1200	UPEX	45.30	
		<=1300	UPEX	45.20	
		<=1400	UPEX	45.10	
		<=1500	UPEX	45.00	
		<=1600	UPEX	44.90	
		<=1700	UPEX	44.80	
		<=1800	UPEX	44.70	
		<=1900	UPEX	44.60	
		<=2000	UPEX	44.50	
		<=2100	UPEX	44.40	
		<=2200	UPEX	44.30	
		<=2300	UPEX	44.20	
		<=2400	UPEX	44.10	
		<=2500	UPEX	44.00	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

	Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-05S
1:	0	SATY	<=0	E	AREA	
			<=500	UPEX	48.00	
			<=800	UPEX	45.00	
			*	UPEX	43.00	
2:	-1					

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-06
1:	0 SATY	<=0	E	AREA	
		<=600	UPEX	43.90	
		<=700	UPEX	43.80	
		<=800	UPEX	43.70	
		<=900	UPEX	43.60	
		<=1000	UPEX	43.50	
		<=1100	UPEX	43.40	
		<=1200	UPEX	43.30	
		<=1300	UPEX	43.20	
		<=1400	UPEX	43.10	
		<=1500	UPEX	43.00	
		<=1600	UPEX	42.90	
		<=1700	UPEX	42.80	
		<=1800	UPEX	42.70	
		<=1900	UPEX	42.60	
		<=2000	UPEX	42.50	
		<=2100	UPEX	42.40	
		<=2200	UPEX	42.30	
		<=2300	UPEX	42.20	
		<=2400	UPEX	42.10	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-07
1:	0 SATY	<=0	E	AREA	
		<=1000	UPEX	45.00	
		<=1100	UPEX	44.90	
		<=1200	UPEX	44.80	
		<=1300	UPEX	44.70	
		<=1400	UPEX	44.60	
		<=1500	UPEX	44.50	
		<=1600	UPEX	44.40	
		<=1700	UPEX	44.30	
		<=1800	UPEX	44.20	
		<=1900	UPEX	44.10	
		<=2000	UPEX	44.00	
		<=2100	UPEX	43.90	
		<=2200	UPEX	43.80	
		<=2300	UPEX	43.70	
		<=2400	UPEX	43.60	
		<=2500	UPEX	43.50	
		<=2600	UPEX	43.40	
		<=2700	UPEX	43.30	
		<=2800	UPEX	43.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-08
1:	0 SATY	<=0	E	AREA	
		<=1400	UPEX	48.00	
		<=1500	UPEX	48.00	
		<=1600	UPEX	47.90	
		<=1700	UPEX	47.80	
		<=1800	UPEX	47.70	
		<=1900	UPEX	47.60	
		<=2000	UPEX	47.50	
		<=2100	UPEX	47.40	
		<=2200	UPEX	47.30	
		<=2300	UPEX	47.20	
		<=2400	UPEX	47.10	
		<=2500	UPEX	47.00	
		<=2600	UPEX	46.90	
		<=2700	UPEX	46.80	
		<=2800	UPEX	46.70	
		<=2900	UPEX	46.60	
		<=3000	UPEX	46.50	
		<=3100	UPEX	46.40	
		<=3200	UPEX	46.30	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-09
1:	0 SATY	<=0	E	AREA	
		<=1500	UPEX	52.00	
		<=1600	UPEX	51.90	
		<=1700	UPEX	51.80	
		<=1800	UPEX	51.70	
		<=1900	UPEX	51.60	
		<=2000	UPEX	51.50	
		<=2100	UPEX	51.40	
		<=2200	UPEX	51.30	
		<=2300	UPEX	51.20	
		<=2400	UPEX	51.10	
		<=2500	UPEX	51.00	
		<=2600	UPEX	50.90	
		<=2700	UPEX	50.80	
		<=2800	UPEX	50.70	
		<=2900	UPEX	50.60	
		<=3000	UPEX	50.50	
		<=3100	UPEX	50.40	
		<=3200	UPEX	50.30	
		<=3300	UPEX	50.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-09S
1:	0 SATY	<=0	E	AREA	
		<=1350	UPEX	65.00	
		<=1351	UPEX	59.00	
		<=1400	UPEX	58.00	
		<=1401	UPEX	57.00	
		*	UPEX	57.00	
2:	-1				

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-10
1:	0 SATY	<=0	E	AREA	
		<=1500	UPEX	54.00	
		<=1600	UPEX	53.90	
		<=1700	UPEX	53.80	
		<=1800	UPEX	53.70	
		<=1900	UPEX	53.60	
		<=2000	UPEX	53.50	
		<=2100	UPEX	53.40	
		<=2200	UPEX	53.30	
		<=2300	UPEX	53.20	
		<=2400	UPEX	53.10	
		<=2500	UPEX	53.00	
		<=2600	UPEX	52.90	
		<=2700	UPEX	52.80	
		<=2800	UPEX	52.70	
		<=2900	UPEX	52.60	
		<=3000	UPEX	52.50	
		<=3100	UPEX	52.40	
		<=3200	UPEX	52.30	
		<=3300	UPEX	52.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-11
1:	0 SATY	<=0	E	AREA	
		<=2000	UPEX	57.00	
		<=2100	UPEX	56.90	
		<=2200	UPEX	56.80	
		<=2300	UPEX	56.70	
		<=2400	UPEX	56.60	
		<=2500	UPEX	56.50	
		<=2600	UPEX	56.40	
		<=2700	UPEX	56.30	
		<=2800	UPEX	56.20	
		<=2900	UPEX	56.10	
		<=3000	UPEX	56.00	
		<=3100	UPEX	55.90	
		<=3200	UPEX	55.80	
		<=3300	UPEX	55.70	
		<=3400	UPEX	55.60	
		<=3500	UPEX	55.50	
		<=3600	UPEX	55.40	
		<=3700	UPEX	55.30	
		<=3800	UPEX	55.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-12
1:	0 SATY	<=0	E	AREA	
		<=2000	UPEX	60.50	
		<=2100	UPEX	60.40	
		<=2200	UPEX	60.30	
		<=2300	UPEX	60.20	
		<=2400	UPEX	60.10	
		<=2500	UPEX	60.00	
		<=2600	UPEX	59.90	
		<=2700	UPEX	59.80	
		<=2800	UPEX	59.70	
		<=2900	UPEX	59.60	
		<=3000	UPEX	59.50	
		<=3100	UPEX	59.40	
		<=3200	UPEX	59.30	
		<=3300	UPEX	59.20	
		<=3400	UPEX	59.10	
		<=3500	UPEX	59.00	
		<=3600	UPEX	58.90	
		<=3700	UPEX	58.80	
		<=3800	UPEX	58.70	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-13
1:	0 SATY	<=0	E	AREA	
		<=2500	UPEX	64.00	
		<=2600	UPEX	63.90	
		<=2700	UPEX	63.80	
		<=2800	UPEX	63.70	
		<=2900	UPEX	63.60	
		<=3000	UPEX	63.50	
		<=3100	UPEX	63.40	
		<=3200	UPEX	63.30	
		<=3300	UPEX	63.20	
		<=3400	UPEX	63.10	
		<=3500	UPEX	63.00	
		<=3600	UPEX	62.90	
		<=3700	UPEX	62.80	
		<=3800	UPEX	62.70	
		<=3900	UPEX	62.60	
		<=4000	UPEX	62.50	
		<=4100	UPEX	62.40	
		<=4200	UPEX	62.30	
		<=4300	UPEX	62.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-14
1:	SATY	<=0	E	AREA	
		<=2500	UPEX	67.00	
		<=2600	UPEX	66.90	
		<=2700	UPEX	66.80	
		<=2800	UPEX	66.70	
		<=2900	UPEX	66.60	
		<=3000	UPEX	66.50	
		<=3100	UPEX	66.40	
		<=3200	UPEX	66.30	
		<=3300	UPEX	66.20	
		<=3400	UPEX	66.10	
		<=3500	UPEX	66.00	
		<=3600	UPEX	65.90	
		<=3700	UPEX	65.80	
		<=3800	UPEX	65.70	
		<=3900	UPEX	65.60	
		<=4000	UPEX	65.50	
		<=4100	UPEX	65.40	
		<=4200	UPEX	65.30	
		<=4300	UPEX	65.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-15
1:	0 SATY	<=0	E	AREA	
		<=2500	UPEX	70.00	
		<=2600	UPEX	69.90	
		<=2700	UPEX	69.80	
		<=2800	UPEX	69.70	
		<=2900	UPEX	69.60	
		<=3000	UPEX	69.50	
		<=3100	UPEX	69.40	
		<=3200	UPEX	69.30	
		<=3300	UPEX	69.20	
		<=3400	UPEX	69.10	
		<=3500	UPEX	68.00	
		<=3600	UPEX	67.90	
		<=3700	UPEX	67.80	
		<=3800	UPEX	67.70	
		<=3900	UPEX	67.60	
		<=4000	UPEX	67.50	
		<=4100	UPEX	67.40	
		<=4200	UPEX	67.30	
		<=4300	UPEX	67.20	

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

	Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-15S
1:	0	SATY	<=0	E	AREA	
			*	UPEX	80.00	
2:	-1					

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? _____

	Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-16
1:	0	SATY	<=0 *	E UPEX	AREA 90.00	
2:	-1					

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

	Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-18
1:	0	SATY	<=0	E	AREA	
			*	UPEX	98.00	
2:	-1					

Enter "D#" to Redisplay, "Attrib #" to Modify,
"S" to Save, "X" to Exit? ____

Enter Table Name or "?" for Lookup: R-MA-20_____

Feature	Type	Range	Adj. Type	Adj. Value	ID: R-MA-20
1:	0 SATY	<=0	E	AREA	
		<=2500	UPEX	128.00	
		*	UPEX	123.00	
2:	-1				
